

Honeywell | Safety Products TUFFSHIELD EVOLUTION LIGHT VIILTOSUOJAKÄSINE

Product Number: 2012953 TUFFSHIELD Evolution TM Light

Protection against extreme cut risks: slaughtering, food, fish, paper industry.

Feature: Knitted glove, Dyneema®, glass and steel protected composite thread.

Bacteriorstatic thread.

PowerCuffTM knitted colour edging, according to size, as per the Chainex

colour

code. Ambidextrous.

Benefit: COMFORT – The knitting technique helps to obtain a glove that conforms

> snugly to the hand and good dexterity. The glove offers maximum comfort and added sturdiness. The glass and steel fibres have been protected so that they

do not come directly in contact with the skin. The PowerCuffTM system ensures elasticity and protects the wrist. The edge colour code (sizes) is identical to that of chainex. The glove is ambidextrous and thus more cost-

effective.

Tuffshield EvolutionTM has been designed from a patented composite thread Resistance:

> made from glass, steel fibres and Dyneema® fibres. This solution helps to obtain excellent protection levels against cuts (level 5). The Dyneema® fibre

resists cuts, abrasion and detergents.

Hygiene: Certified for contact with food, bacteriostatic and blue in colour to meet the

> expectations of workers from the food sector. Honeywell Safety Products recommends the gloves be washed a number of times to give a longer life.

CE CATEGORY: II Intermediary risks In accordance with standards: Description:

> EN 420-2003 EEC Basic standards EN 388-2003 Mechanical Hazards

Food contact according EU standards n°1935/2004

Characteristics: Knitted glove in Dyneema® and protected glass and steel

> Bacteriostatic varn PowerCuffTM knitted

Product Technology: Knitted Fiber: **Dvneema®**

Gauge: 13 Glove/liner color: Blue Lenath: 30 cm

Harmlessness: In conformity with the European standards

Class 5 Dexterity: 6 to 10 Sizes:

EN 388 - Mechanical Hazards Abrasion Resistance

Abrasion resistance: 2 Cutting resistance: 5 Tear resistance: 4 Puncture resistance: Χ

Robert Huberin tie 2 PUHELIN 0201 555 660 KOTISIVU www.pamark.fi Y-TUNNUS 0601684-7 01510 Vantaa **FAKSI** 0201 555 661 E-MAIL etunimi.sukunimi@pamark.fi



Honeywell | Safety Products TUFFSHIELD EVOLUTION LIGHT VIILTOSUOJAKÄSINE

Packaging Label

Tagging: **CE HONEYWELL**

2012953 XX

EN 420 EN 388: 254X

PPE 2 EC Category:

ISO 9001 / 2000 Quality Assurance:

EC Certificate Number: 0075/797/162/05/08/0157

Washing instructions for gloves made of Dyneema® or Spectra® with a food contact Instructions

- Use commercial laundry soap or detergent (not aggressive)



- 2/3 machine charge



- pre washing at 50-60°



- washing at 70-80° during 10 minutes
- rinse at 60°C during 5 min
- Repeat wash & rinse if soiling is especially heavy
- Dry at 60°C: meet a humidity level of 10-20%

Caution:

- avoid oxidant or glaceing agents
- avoid to overtake 80° both during washing and drying operations

Recommendation

- If the machine is equipped of the function fast extraction, choose this function to remove as much as water and limit the drying time.
- During the last rinse, add a disinfectant.

These are recommended laundering procedures, however Sperian protection does not guarantee chemical or mechanical properties of the gloves following these procedures.