

Technical Sheet Rev. 00 - 28/10/2015 - Mod. 73A - EN

CS 6 PLUS



GENERAL DATA

Disposable container for sharp and cutting objects. Model designed for the disposal of particularly long waste (chest drains, clamps and biopsy needles....)

Material:	Plastic material 100 % virgin Polypropylene
Colour:	Yellow body and red lid in order to signal the dangerous content.
	Materials coloured with masterbatch without heavy metals and
	cadmium. Materials compliant to REACH
Thickness:	Bottom and sides: 2,0 mm - Lid and closure: 2,0 mm
Shape:	Rectangular 167mm
Weight:	445 gr.
Max Load:	3.500 gr.
Nominal capacity:	6,00 Lt. 386mm
External dimensions:	167x167x386 H mm (lid assembled)

LOGISTIC DATA:

- Pcs per carton: 36 (body and lid not assembled)
- Carton dimensions: 79x40x42 H cm
- Pcs per pallet: 540 pcs.
- Pallet dimensions: 120x80x222 h cm

CERTIFICATIONS:

- ► Compliant to AFNOR NF X-30-500
- NF Mark
- Compliant to ADR UN approved
- Kite Mark Compliant to ISO 23907
- ► FDA K071517
- ► TRBA 250



CS 6 PLUS

INSTRUCTIONS

Lid Assembly:

Place the opening of the lid above the label and press firmly on the opposite corners clicking all the joints and after on the opposite sides.







At this stage closure is temporary



Temporary closure:







Permanent closure:

Place the lid in temporary closure and press firmly on the four «2DEF» in succession from one side to the other. At this stage, closure is permanent



► Needles removal: Use the "V" removal device to separate needles and syringes







Use the "marguerite" device to unscrew the insulin pen





AP medical

USE:

- During use, close the cap in temporary closure position
- Close permanently once full
- ▶ Large opening to ease the disposal of scalpels, test tubes, etc
- Suitable to autoclave at 134° for 18 minutes
- > Once filled, the containers have to be disposed through incineration, releasing no toxic emissions

Holders:

Inclined holder



Wall trolley bracket with grabs



SAFETY INFORMATION:

- Use the product only with the appropriate lid
- Do not use the product before fitting the lid
- > Do not attempt to rescue objects already in the container
- ▶ Respect the filling level indicated: 80% of real capacity
- ▶ Do not try to open the container once permanently and irreversibly sealed
- Container to dispose according to the existing law
- ► Follow the instructions of use to ensure the safety of the container
- Use handles to move the container

ADVANTAGES:

- ▶ Lid provided with safe closure device, permanent closure, prevents from waste reflux
- Easy to use and to handle
- Sharp and v objects resistant
- Handles available
- Lid provided with needles removal devices
- ► Suitable to autoclave (compliant to NFX 30-500 even after sterilization)
- Maximum filling level indicated
- Several holders available
- Irreversible permanent closure
- ► To be disposed through incineration, releasing no toxic emissions